

ASTRA-OCT[®] SPINE SYSTEM

ASTRA-OCT Spine System Ordering Information



03. Implant Ordering Information



Available on all screws:
Standard angulation is $\pm 40^\circ$
Favored Angle is up to 45°
Cephalad-Caudal
Favored Angle is up to 55°
Medial-Lateral

Polyaxial Screws	Catalog n°
Ti Poly Screw Ø3.50 x 10mm	A3P-3510
Ti Poly Screw Ø3.50 x 12mm	A3P-3512
Ti Poly Screw Ø3.50 x 14mm	A3P-3514
Ti Poly Screw Ø3.50 x 16mm	A3P-3516
Ti Poly Screw Ø3.50 x 18mm	A3P-3518
Ti Poly Screw Ø3.50 x 20mm	A3P-3520
Ti Poly Screw Ø3.50 x 22mm	A3P-3522
Ti Poly Screw Ø3.50 x 24mm	A3P-3524
Ti Poly Screw Ø3.50 x 26mm	A3P-3526
Ti Poly Screw Ø3.50 x 28mm	A3P-3528
Ti Poly Screw Ø3.50 x 30mm	A3P-3530
Ti Poly Screw Ø3.50 x 32mm	A3P-3532
Ti Poly Screw Ø3.50 x 34mm	A3P-3534
Ti Poly Screw Ø4.00 x 10mm	A3P-4010
Ti Poly Screw Ø4.00 x 12mm	A3P-4012
Ti Poly Screw Ø4.00 x 14mm	A3P-4014
Ti Poly Screw Ø4.00 x 16mm	A3P-4016
Ti Poly Screw Ø4.00 x 18mm	A3P-4018
Ti Poly Screw Ø4.00 x 20mm	A3P-4020
Ti Poly Screw Ø4.00 x 22mm	A3P-4022
Ti Poly Screw Ø4.00 x 24mm	A3P-4024
Ti Poly Screw Ø4.00 x 26mm	A3P-4026
Ti Poly Screw Ø4.00 x 28mm	A3P-4028
Ti Poly Screw Ø4.00 x 30mm	A3P-4030
Ti Poly Screw Ø4.00 x 32mm	A3P-4032
Ti Poly Screw Ø4.00 x 34mm	A3P-4034
Ti Poly Screw Ø4.50 x 20mm	A3P-4520
Ti Poly Screw Ø4.50 x 24mm	A3P-4524
Ti Poly Screw Ø4.50 x 28mm	A3P-4528
Ti Poly Screw Ø4.50 x 30mm	A3P-4530
Ti Poly Screw Ø4.50 x 32mm	A3P-4532
Ti Poly Screw Ø4.50 x 36mm	A3P-4536
Ti Poly Screw Ø4.50 x 40mm	A3P-4540
Ti Poly Screw Ø4.50 x 44mm	A3P-4544
Ti Poly Screw Ø5.00 x 20mm	A3P-5020
Ti Poly Screw Ø5.00 x 25mm	A3P-5025
Ti Poly Screw Ø5.00 x 30mm	A3P-5030
Ti Poly Screw Ø5.00 x 35mm	A3P-5035
Ti Poly Screw Ø5.00 x 40mm	A3P-5040
Ti Poly Screw Ø5.00 x 45mm	A3P-5045
Ti Poly Screw Ø5.50 x 30mm	A3P-5530
Ti Poly Screw Ø5.50 x 35mm	A3P-5535
Ti Poly Screw Ø5.50 x 40mm	A3P-5540
Ti Poly Screw Ø5.50 x 45mm	A3P-5545

Reduction Screws

Polyaxial Reduction Screws	Catalog n°
Ti Poly Reduction Screw Ø3.50 x 10mm	A3P-3510R
Ti Poly Reduction Screw Ø3.50 x 12mm	A3P-3512R
Ti Poly Reduction Screw Ø3.50 x 14mm	A3P-3514R
Ti Poly Reduction Screw Ø3.50 x 16mm	A3P-3516R
Ti Poly Reduction Screw Ø3.50 x 18mm	A3P-3518R
Ti Poly Reduction Screw Ø3.50 x 20mm	A3P-3520R
Ti Poly Reduction Screw Ø3.50 x 22mm	A3P-3522R
Ti Poly Reduction Screw Ø3.50 x 24mm	A3P-3524R
Ti Poly Reduction Screw Ø3.50 x 26mm	A3P-3526R
Ti Poly Reduction Screw Ø3.50 x 28mm	A3P-3528R
Ti Poly Reduction Screw Ø3.50 x 30mm	A3P-3530R
Ti Poly Reduction Screw Ø3.50 x 32mm	A3P-3532R
Ti Poly Reduction Screw Ø3.50 x 34mm	A3P-3534R
Ti Poly Reduction Screw Ø4.00 x 10mm	A3P-4010R
Ti Poly Reduction Screw Ø4.00 x 12mm	A3P-4012R
Ti Poly Reduction Screw Ø4.00 x 14mm	A3P-4014R
Ti Poly Reduction Screw Ø4.00 x 16mm	A3P-4016R
Ti Poly Reduction Screw Ø4.50 x 16mm	A3P-4516R
Ti Poly Reduction Screw Ø4.50 x 20mm	A3P-4520R
Ti Poly Reduction Screw Ø4.50 x 24mm	A3P-4524R
Ti Poly Reduction Screw Ø4.50 x 28mm	A3P-4528R
Ti Poly Reduction Screw Ø4.50 x 32mm	A3P-4532R
Ti Poly Reduction Screw Ø4.50 x 36mm	A3P-4536R
Ti Poly Reduction Screw Ø4.50 x 40mm	A3P-4540R
Ti Poly Reduction Screw Ø4.50 x 44mm	A3P-4544R
Ti Poly Reduction Screw Ø5.00 x 20mm	A3P-5020R
Ti Poly Reduction Screw Ø5.00 x 25mm	A3P-5025R
Ti Poly Reduction Screw Ø5.00 x 30mm	A3P-5030R
Ti Poly Reduction Screw Ø5.00 x 35mm	A3P-5035R
Ti Poly Reduction Screw Ø5.00 x 40mm	A3P-5040R
Ti Poly Reduction Screw Ø5.00 x 45mm	A3P-5045R
Ti Poly Reduction Screw Ø5.50 x 25mm	A3P-5525R
Ti Poly Reduction Screw Ø5.50 x 30mm	A3P-5530R
Ti Poly Reduction Screw Ø5.50 x 35mm	A3P-5535R
Ti Poly Reduction Screw Ø5.50 x 40mm	A3P-5540R
Ti Poly Reduction Screw Ø5.50 x 45mm	A3P-5545R

Additional screw sizes available upon request.



Smooth Shank Screws	Polyaxial Smooth Shank Screws	Catalog n°
	Ti Poly Smooth Shank Screw Ø3.50 x 20mm	A3P-3520-S
	Ti Poly Smooth Shank Screw Ø3.50 x 22mm	A3P-3522-S
	Ti Poly Smooth Shank Screw Ø3.50 x 24mm	A3P-3524-S
	Ti Poly Smooth Shank Screw Ø3.50 x 26mm	A3P-3526-S
	Ti Poly Smooth Shank Screw Ø3.50 x 28mm	A3P-3528-S
	Ti Poly Smooth Shank Screw Ø3.50 x 30mm	A3P-3530-S
	Ti Poly Smooth Shank Screw Ø3.50 x 32mm	A3P-3532-S
	Ti Poly Smooth Shank Screw Ø3.50 x 34mm	A3P-3534-S
	Ti Poly Smooth Shank Screw Ø4.00 x 20mm	A3P-4020-S
	Ti Poly Smooth Shank Screw Ø4.00 x 22mm	A3P-4022-S
	Ti Poly Smooth Shank Screw Ø4.00 x 24mm	A3P-4024-S
	Ti Poly Smooth Shank Screw Ø4.00 x 26mm	A3P-4026-S
	Ti Poly Smooth Shank Screw Ø4.00 x 28mm	A3P-4028-S
	Ti Poly Smooth Shank Screw Ø4.00 x 30mm	A3P-4030-S
	Ti Poly Smooth Shank Screw Ø4.00 x 32mm	A3P-4032-S
	Ti Poly Smooth Shank Screw Ø4.00 x 34mm	A3P-4034-S

Reduction Smooth Shank Screws	Polyaxial Reduction Smooth Shank Screws	Catalog n°
	Ti Poly Reduction Smooth Shank Screw Ø3.50 x 22mm	A3P-3522R-S
	Ti Poly Reduction Smooth Shank Screw Ø3.50 x 24mm	A3P-3524R-S
	Ti Poly Reduction Smooth Shank Screw Ø3.50 x 26mm	A3P-3526R-S
	Ti Poly Reduction Smooth Shank Screw Ø3.50 x 28mm	A3P-3528R-S
	Ti Poly Reduction Smooth Shank Screw Ø3.50 x 30mm	A3P-3530R-S
	Ti Poly Reduction Smooth Shank Screw Ø3.50 x 32mm	A3P-3532R-S
	Ti Poly Reduction Smooth Shank Screw Ø3.50 x 34mm	A3P-3534R-S



Set Screw for Use with Screws and Hooks	Catalog n°
T-15 Set Screw, Regular	A3S-T15

Additional screw sizes available upon request.

Cross Connectors



Adjustable Rod-to-Rod Cross Connectors	Catalog n°
Ti Adjustable Rod-to-Rod Cross Connector, 31-35mm	A3X-R3135
Ti Adjustable Rod-to-Rod Cross Connector, 35-40mm	A3X-R3540
Ti Adjustable Rod-to-Rod Cross Connector, 39-49mm	A3X-R3949



Screw-to-Screw Cross Connectors	Catalog n°
Ti Screw-to-Screw Cross Connector, 33mm	A3X-S33
Ti Screw-to-Screw Cross Connector, 37mm	A3X-S37
Ti Screw-to-Screw Cross Connector, 41mm	A3X-S41
Ti Screw-to-Screw Cross Connector, 45mm	A3X-S45
Ti Screw-to-Screw Cross Connector, 49mm	A3X-S49



Set Screw for Use with Adjustable Cross-Connectors	Catalog n°
T-15 Set Screw, Coned	A3S-T15C



Screw-to-Screw Cross Connector Set Screw and Nut	Catalog n°
T-15 Screw-to-Screw Cross Connector Set Screw	A3S-XT15
T-15 Screw-to-Screw Cross Connector Nut	A3S-XN

Rod Connectors



Rod-to-Rod Connectors	Catalog n°
Side-by-Side Connector, Closed, fitting Ø3.5/4.0mm	A3D-C35
Side-by-Side Connector, Closed, fitting Ø4.5/5.0mm	A3D-C45
Side-by-Side Connector, Closed, fitting Ø5.5/6.0/6.35mm	A3D-C55
Side-by-Side Connector, Open, fitting Ø3.5/4.0mm	A3D-OS35
Side-by-Side Connector, Open, fitting Ø4.5/5.0mm	A3D-OS45
Side-by-Side Connector, Open, fitting Ø5.5/6.0/6.35mm	A3D-OS55
Tandem Connector, 15mm, fitting Ø3.5/4.0mm	A3T-C35-15
Tandem Connector, 28mm, fitting Ø3.5/4.0mm	A3T-C35-28
Tandem Connector, 15mm, fitting Ø5.5/6.0mm	A3T-C55-15
Tandem Connector, 28mm, fitting Ø5.5/6.0mm	A3T-C55-28
Cable Connector	A3C



Lateral Connectors	Catalog n°
Closed Lateral Connector, 10mm	A3L-C10
Closed Lateral Connector, 15mm	A3L-C15
Open Side-Loading Lateral Connector, 10mm	A3L-OS10
Open Side-Loading Lateral Connector, 15mm	A3L-OS15
Open Side-loading Angled Lateral Connector, 15mm	A3L-OSA15
Open Side-loading Angled Lateral Connector, 25mm	A3L-OSA25



Set Screw for Use with Rod-to-Rod and Cable Connectors	Catalog n°
T-15 Set Screw, Flat	A3S-T15F

Additional Tandem and Lateral Connectors available upon request

Titanium Rods



Titanium Straight Rods	Catalog n°
Ti Straight Rod with Axial Line Ø3.5mm x 25mm	A3R-35-025
Ti Straight Rod with Axial Line Ø3.5mm x 30mm	A3R-35-030
Ti Straight Rod with Axial Line Ø3.5mm x 35mm	A3R-35-035
Ti Straight Rod with Axial Line Ø3.5mm x 40mm	A3R-35-040
Ti Straight Rod with Axial Line Ø3.5mm x 45mm	A3R-35-045
Ti Straight Rod with Axial Line Ø3.5mm x 50mm	A3R-35-050
Ti Straight Rod with Axial Line Ø3.5mm x 60mm	A3R-35-060
Ti Straight Rod with Axial Line Ø3.5mm x 70mm	A3R-35-070
Ti Straight Rod with Axial Line Ø3.5mm x 80mm	A3R-35-080
Ti Straight Rod with Axial Line Ø3.5mm x 90mm	A3R-35-090
Ti Straight Rod with Axial Line Ø3.5mm x 100mm	A3R-35-100
Ti Straight Rod with Axial Line Ø3.5mm x 325mm	A3R-35-325
Ti Straight Rod with Axial Line Ø4.0mm x 325mm	A3R-40-325



Titanium Transition Rods	Catalog n°
Ti Transition Rod with Axial Line, Ø3.5mm to Ø5.5mm x 325mm	A3R-T35-325
Ti Transition Rod with Axial Line, Ø3.5mm to Ø5.5mm x 500mm	A3R-T35-500
Ti Transition Rod with Axial Line, Ø4.0mm to Ø5.5mm x 500mm	A3R-T45-500

Cobalt Chrome Rods



Cobalt Chrome Straight Rods	Catalog n°
CoCr Straight Rod with Axial Line Ø3.5mm x 325mm	A3R-35-325K
CoCr Straight Rod with Axial Line Ø4.0mm x 325mm	A3R-40-325K



Cobalt Chrome Transition Rods	Catalog n°
CoCr Transition Rod Ø3.5mm to Ø5.5mm x 325mm	A3R-T35-325K

Additional rod sizes available upon request.

Laminar Hooks



Laminar Hooks	Catalog n°
Laminar Hook, 4.5mm	A3H-L45
Laminar Hook, 6.5mm	A3H-L65

Additional hooks and sizes available upon request

Revision Rods



Z-Rods	Catalog n°
Ti Z-rod Ø3.5mm, 7mm Offset, 325mm	A3ZR-357-325
Ti Z-rod Ø3.5mm, 9mm Offset, 325mm	A3ZR-359-325
Ti Z-rod Ø4.0mm, 7mm Offset, 325mm	A3ZR-407-325
Ti Z-rod Ø4.0mm, 9mm Offset, 325mm	A3ZR-409-325
CoCr Z-rod Ø3.5mm, 7mm Offset, 325mm	A3ZR-357-325K
CoCr Z-rod Ø3.5mm, 9mm Offset, 325mm	A3ZR-359-325K

Additional rod sizes available upon request.

Occipital Implants



Occipital Plates	Catalog n°
Adjustable Occipital Plate, 32mm	A3OP-A32
Adjustable Occipital Plate, 36mm	A3OP-A36
Adjustable Occipital Plate, 42mm	A3OP-A42
Adjustable Occipital Plate, 48mm	A3OP-A48



Occipital Rods	Catalog n°
Ø3.5mm Ti Occipital Rod, 325mm x 60° (120°)	A3OR-35-6032
Ø4.0mm Ti Occipital Rod, 325mm x 60° (120°)	A3OR-40-6032
Ø3.5mm CoCr Occipital Rod, 325mm x 60° (120°)	A3OR-35-6032K



Occipital Screws	Catalog n°
Ø4.5mm Occipital Bone Screw, 6mm	A3OS-4506
Ø4.5mm Occipital Bone Screw, 8mm	A3OS-4508
Ø4.5mm Occipital Bone Screw, 10mm	A3OS-4510
Ø4.5mm Occipital Bone Screw, 12mm	A3OS-4512
Ø4.5mm Occipital Bone Screw, 14mm	A3OS-4514
Ø4.5mm Occipital Bone Screw, 16mm	A3OS-4516
Ø5.0mm Occipital Bone Screw, 6mm	A3OS-5006
Ø5.0mm Occipital Bone Screw, 8mm	A3OS-5008
Ø5.0mm Occipital Bone Screw, 10mm	A3OS-5010
Ø5.0mm Occipital Bone Screw, 12mm	A3OS-5012
Ø5.0mm Occipital Bone Screw, 14mm	A3OS-5014
Ø5.0mm Occipital Bone Screw, 16mm	A3OS-5016

04. Instrument Ordering Information

ASTRA-OCT Instruments		Catalog n°	ASTRA-OCT Instruments		Catalog n°
Implant Prep Instruments	Awl	6600-45	Final Tighten	Torque Limiting Handle, Straight	6600-02-S
	Thoracic Pedical Probe	6300-48B		Anti-Torque	6600-98
	Cervical Probe, Straight	6600-49-S		Cross Connector Anti-Torque	6600-99
	Fixed Drill Guide, 10mm (optional)	6600-60-10		Cross Connector Nut Driver	6600-19
	Fixed Drill Guide, 12mm	6600-60-12		T15 Driver	6600-T15
	Fixed Drill Guide, 14mm (optional)	6600-60-14	Other	Racheting Palm Handle (optional)	6600-03-P
	Fixed Drill Guide, 16mm (optional)	6600-60-16		Racheting Straight Handle	6600-03-SB
	Adjustable Drill Guide	6600-60-A		Rod Template, 180mm	6600-35-R180
	Adjustable Drill Guide Sleeve, 8-30mm	6600-61-A		Rod Template, 240mm (optional)	6600-35-R240
	Drill Bit, Ø2.4mm	6600-70-24		X-C Measuring Card	6600-47
Drivers/ Holders	Polyaxial Screw Taps Ø3.0mm	6600-71-30	Cases	Depth Gauge	6600-93
	Polyaxial Screw Taps Ø3.5mm	6600-71-35		Standard Instrument Case	6600-100
	Polyaxial Screw Taps Ø4.0mm	6600-71-40		Standard Implant Case	6600-310
	Polyaxial Screw Taps Ø4.5mm	6600-71-45		Regular Screw Caddy	6600-310-1
	Polyaxial Screw Taps Ø5.0mm	6600-71-50		Smooth Shank Screw Caddy	6600-310-2
	Polyaxial Screw Taps Ø5.5mm (optional)	6600-71-55		Rod & Cross Connector Caddy	6600-310-3
	Sounding Probes, Single End	6600-43-S		Miscellaneous Connectors Caddy	6600-310-4
	Sounding Probes, Double End	6600-43-D		Occipital Fixation Case	6601-730
	Polyaxial Screwdriver	6600-89-PS		Occipital Implants Caddy	6601-730-1
	Polyaxial Screwdriver, Dedicated Reduction (optional)	6600-89-DR	Occipital Instruments	Occipital Plate Bending Holder	6601-16-H
	Self-Retaining T15 Driver	6600-T15-3		Occipital Plate Tip Bender	6601-16-T
	Head Adjuster	6600-75		Occipital Plate Drill Guide, 6mm & 8mm	6601-60-1B
	Tulip Holder Forceps (optional)	6600-08		Occipital Plate Drill Guide, 10mm & 12mm	6601-60-2B
	Connector Holder Forceps	6600-10		Occipital Plate Drill Guide, 14mm & 16mm	6601-60-3B
	Rod Holder Forceps	6600-11		Occipital Plate Tap/Driver Guide	6601-60-D
	Rod Clamp	6600-12		Ø3.2mm Occipital Drill Bit	6601-70-32
Implant Manipulation	Rod Bender	6600-16		Ø3.2 Flexible Occipital Drill Bit	6601-70-32-F
	Rod Cutter	6600-95		Ø4.5mm Occipital Screw Tap	6601-71-45
	Sagittal Bender, Right	6600-94-R		Ø4.5 Flexible Occipital Screw Tap	6601-71-45-F
	Sagittal Bender, Left	6600-94-L		Ø5.0mm Occipital Screw Tap	6601-71-50
	Rod Persuader	6600-01		Ø5.0 Flexible Occipital Screw Tap	6601-71-50-F
	No Handle Rocker	6600-05-NH		Flexible T15 Self-Retaining Driver	6601-T15-3F
	Distractor	6600-41		Flexible T15 Driver	6601-T15-F
	Compressor	6600-42			



SpineCraft

777 Oakmont Lane - Westmont, IL 60559, USA
TEL + 1 630 920 7300 - FAX + 1 630 920 7310
TF + 1 877 731 SPINE (+ 1 877 731 7746)

 **SpineCraft**
www.spinecraft.com